

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"2775670".pn.	USPAT; USOCR	OR	OFF	2005/12/05 10:27
L4	3	("4338500" "5567924" "5245145").pn.	USPAT; USOCR	OR	OFF	2005/12/05 10:27
S1	4398	capacitor adj switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 09:12
S2	23	capacitor adj switch and moving adj contact\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:19
S3	9	capacitor adj switch and moving adj contact\$3 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:20
S4	3	("3071668").URPN.	USPAT	OR	OFF	2005/11/30 17:21
S5	23	("2757261"   "3071668"   "3154656"   "3311726"   "3433913"   "3527912"   "3674956"   "3735073"   "3739125"   "3769477"   "3786215"   "3943314"   "4000387").PN. OR ("4090051").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/30 17:24
S6	58	capacitor adj switch and contactor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:27
S7	0	("2005/0128662").URPN.	USPAT	OR	OFF	2005/11/30 17:28
S8	0	("2002/0050484").URPN.	USPAT	OR	OFF	2005/11/30 17:28
S9	4	"3539276".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 09:13

S10	5	"3538276".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 09:14
S11	368	218/143.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 10:28
S12	5	("4338500"   "5164559").PN. OR ("5841614").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 09:25
S13	44	S11 and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 10:29
S14	13	("3143622"   "3291947"   "3576414"   "3636292"   "3674956"   "4204101"   "4434332"   "4488021"   "4500762"   "4568806").PN. OR ("4788390"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:41
S15	29	218/144.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 16:08
S16	1	"4421962".PN.	USPAT; USOCR	OR	OFF	2005/12/05 09:28
S17	0	"10736402"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 13:06
S18	1	"10/736402"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 13:07
S19	14	("2792476"   "3211868"   "4338500").PN. OR ("4421962"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 15:32
S20	20	("3538276"   "3676621"   "3863041"   "4009458"   "4072836").PN. OR ("4338500"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 15:43
S21	14	("3538276" "3863041" "4338500" "4788390" "5276285" "5451731" "5742017" "5814782" "5741614" "6236010" "6239399" "6583978" "6597549").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 15:45

S22	15	(218/143.ccls. 218/144.ccls.) and restrike	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 16:13
S23	24	(218/143.ccls. 218/144.ccls.) and fast	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 16:42
S24	13	capacitor adj switch and fast and re\$1strike	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 16:55
S25	1	"6,331,687".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 16:55
S26	2	"6583978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:14
S27	2	"5734140".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:14
S28	3	("4421962"   "4500762").PN. OR ("4774387").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 14:06
S29	14	("2792476"   "3211868"   "4338500").PN. OR ("4421962"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 15:06
S30	1	"6538347".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:26
S31	7468	flow adj control adj device	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:26
S32	777	flow adj control adj device and ("218")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:27
S33	0	flow adj control adj device and ("218".clas.)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:27
S34	0	flow adj control adj device and ("218".clas.)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:28
S35	3	flow adj control adj device and capacitor adj switch	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:29

S36	38	flow adj control and capacitor adj switch	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:29
S37	4	flow adj control and capacitor adj switch and restrict	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:30
S38	2	"218".clas. and pneumatics	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:30
S39	462	"218".clas. and pneumatic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:33
S40	0	"218".clas. and pneumatic and oriface	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:31
S41	36	"218".clas. and pneumatic and insertion	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:33
S42	19	"218".clas. and pneumatic and insertion and resist\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:54
S43	19	"218".clas. and puffer and insertion and resist\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:06
S44	0	"218".clas. and puffer and restrictive adj orifice	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:07
S45	14	"218".clas. and puffer and restrictive	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:07
S46	1	"218".clas. and puffer and restrictive and insertion	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:09
S47	685385	"218".clas. and puffer and restrict3and insertion	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:09
S48	8	"218".clas. and puffer and restrict\$3 and insertion	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:10
S49	4	"218".clas. and puffer and restrict\$3 and insertion and adjust\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:10
S50	4	"218".clas. and puffer and restrict\$3 and insertion and adjust\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:15
S51	5	"218".clas. and damping and restrict\$3 and insertion and adjust\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:20

S52	3	"218".clas. and damping and restrict\$3 and insertion and adjust\$4 and screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:15
S53	8	"218".clas. and damp\$3 and restrict\$3 and insertion and adjust\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:21
S54	22	"218".clas. and damp\$3 and insertion and adjust\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:34
S55	21	"218".clas. and puffer same (adjust\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:34
S56	21	"218".clas. and (puffer same adjust\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:38
S57	24	rate adj adjustment adj screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:39
S58	0	rate adj adjustment adj screw and puffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:39
S59	7	rate adj adjustment adj screw and switch	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:39
S60	3	rate adj adjustment adj screw and pneumatic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:40
S61	95	set adj screw and "218".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:41
S62	0	(set adj screw) and "218".clas. and pufer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:41
S63	2	(set adj screw) and "218".clas. and puffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:43
S64	1	(set adj screw) and "218".clas. and damper	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:50
S65	14	("3594525"   "3727019"   "4506244").PN. OR ("5175403").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:46
S66	7	(set adj screw) and "218".clas. and pneumatic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:53
S67	0	(restrictor adj plate) and "218".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:53

S68	1	(restrictor adj plate) and capacitor adj switch	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:54
S69	477	(restrictor adj plate)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:54
S70	2791	capacitor adj switch	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:54
S71	0	capacitor adj switch and oriface	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:55
S72	16	capacitor adj switch and orifice	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:56
S73	0	"218.clas" and orifice	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:56
S74	667	"218".clas. and orifice	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:56
S75	6	"218".clas. and orifice and set adj screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:57
S76	4	"218".clas. and (orifice with restrict)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:59
S77	11	"218".clas. and (orifice same restrict)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:59
S78	0	"218".clas. and (orifice same restrict same adjust)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 17:59
S79	11	"218".clas. and (orifice same restrict)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:01
S80	36	"218".clas. and (valve same restrict)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:01
S81	18	"218".clas. and (valve\$1 with restrict\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:21
S82	0	"218".clas. and ((valve\$1 with restrict\$1) same adjust)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:01
S83	0	"218".clas. and ((valve\$1 with restrict\$1) same adjust\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:02

S84	0	"218".clas. and ((valve\$1 same restrict\$1) same adjust\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:02
S85	197	((valve\$1 oriface) with restrict\$1 with adjust\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:21
S86	0	((valve\$1 oriface) with restrict\$1 with adjust\$1) with puffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:22
S87	3	((valve\$1 oriface) with restrict\$1 with adjust\$1) same set adj screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:23
S88	26	((valve\$1 oriface) with restrict\$1 with adjust\$1) same screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:23
S89	3	((valve\$1 oriface) with restrict\$1 with adjust\$1) with screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:23
S90	0	((oriface) with restrict\$1 with adjust\$1) with screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:24
S91	0	((oriface) same restrict\$1 same adjust\$1) with screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:24
S92	0	((oriface) same restrict\$1 same adjust\$1) same screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:24
S93	0	((oriface) same restrict\$1 same adjust\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:24
S94	528	((orifice) same restrict\$1 same adjust\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:24
S95	153	((orifice) same restrict\$1 same adjust\$1) same screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:24
S96	5	((orifice) with restrict\$1 with adjust\$1) same screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:25
S97	1	((orifice) same restrict\$1 same adjust\$1) same screw same contactor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:26
S98	2	((orifice) same restrict\$1 same adjust\$1) same contactor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:26
S99	0	((orifice) same restrict\$1 same adjust\$1) same puffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:26

S10 0	0	((orifice) same restrict\$1 same adjust\$1) and puffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:26
S10 1	13056	((orifice) same restrict\$1 same adjust\$1) "218".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:27
S10 2	0	((orifice) same restrict\$1 same adjust\$1) and "218".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:27
S10 3	1	((orifice vent) same restrict\$1 same adjust\$1) and "218".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:28
S10 4	25	((orifice vent) same adjust\$1) and "218".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:32
S10 5	151	((orifice vent) same adjust\$1) and circuit adj breaker	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:33
S10 6	20	((orifice vent) same (adjust\$1 with screw)) and circuit adj breaker	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 18:33